

Certificate of Compliance

Certificate Number:

UL-US-L183859-118-30608002-3

Report Reference:

E183859-20080603

Issue Date:

2025-07-24

Issued to:

Weg Automation Europe s.r.l. Via Giosue' Carducci 24 Gerenzano, VA 21040 Italy

This certificate confirms that representative samples of:

NMMS - Power Conversion Equipment

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 508C; Power Conversion Equipment

Additional Information:

See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch

UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L183859-118-30608002-3

Report reference E183859-20080603

Date 2025-07-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Open type, A.C. motor drives

Model(s): ADV200-HC (Size 1), : ADV200-HC followed by 1007, 1015, 1022, 1030, 1040, followed by X, K, followed by B, X, followed by X, L, P followed by 4, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx".

Model(s): ADV200 - Size 1,: ADV followed by 1007, 1015, 1022, 1030, 1040, followed by X, K, followed by B, X, followed by X, L, P, followed by 4, 4A, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx".

Model(s): ADV200-WA (Size 1), : ADV200-WA followed by 1015, 1022, 1030, 1040, 1055, followed by X, K, followed by B, X, followed by X, L, P, followed by 4, 4A, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx".

Model(s): ADV200-HO (Size 1), : ADV200-HO followed by 1022, 1030, followed by X, K, followed by B, X, followed by X, L, P followed by 4, 4A, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx"

Model(s): ADV200-HO (Size 2), : ADV200-HO followed by 2040, 2055, 2075, followed by X, K, followed by B, X, followed by X, L, P followed by 4, 4A, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx"

Model(s): ADV200-HC (Size 2), : ADV200-HC followed by 2055, 2075, 2110, followed by X, K, followed by B, X, followed by X, L, P followed by 4, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx".

Model(s): ADV200 - Size 2,: ADV followed by 2055, 2075, 2110, followed by X, K, followed by B, X, followed by X, L, P, followed by 4, 4A, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx".

Model(s): ADV200-WA (Size 2), : ADV200-WA followed by 2075, 2110, 2150, followed by X, K, followed by B, X, followed by X, L, P, followed by 4, 4A, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx".

Power Conversion Equipment

Model(s): ADV200SP - Size 1,: ADV200-SP followed by 1015, 1022, 1030, 1040, 1055 followed by X, K, followed by B, X, followed by X, L, P followed by 4, 4A, may be followed by DC, may be followed by SI, followed by additional generic alphanumeric digits xxxx

Model(s): ADV200SP - Size 2, : ADV200-SP followed by 2075, 2110, 2150, followed by X, K, followed by B, X, followed by X, L, P followed by 4, 4A, may be followed by DC, may be followed by SI, followed by additional generic alphanumeric digits xxxx





Certificate of Compliance

Certificate Number:

UL-CA-L183859-418-30608002-3

Report Reference:

E183859-20080603

Issue Date:

2025-07-24

Issued to:

Weg Automation Europe s.r.l. Via Giosue' Carducci 24 Gerenzano, VA 21040 Italy

This certificate confirms that representative samples of:

NMMS7 - Power Conversion Equipment Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 274; Adjustable Speed Drives

Additional Information:

See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch

UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L183859-418-30608002-3

Report reference E183859-20080603

Date 2025-07-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Open type, A.C. motor drives

Model(s): ADV200-HC (Size 1),: ADV200-HC followed by 1007, 1015, 1022, 1030, 1040, followed by X, K, followed by B, X, followed by X, L, P followed by 4, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx".

Model(s): ADV200 - Size 1,: ADV followed by 1007, 1015, 1022, 1030, 1040, followed by X, K, followed by B, X, followed by X, L, P, followed by 4, 4A, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx".

Model(s): ADV200-WA (Size 1), : ADV200-WA followed by 1015, 1022, 1030, 1040, 1055, followed by X, K, followed by B, X, followed by X, L, P, followed by 4, 4A, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx".

Model(s): ADV200-HO (Size 1), : ADV200-HO followed by 1022, 1030, followed by X, K, followed by B, X, followed by X, L, P followed by 4, 4A, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx"

Model(s): ADV200-HO (Size 2), : ADV200-HO followed by 2040, 2055, 2075, followed by X, K, followed by B, X, followed by Y, L, P followed by 4, 4A, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx"

Model(s): ADV200-HC (Size 2), : ADV200-HC followed by 2055, 2075, 2110, followed by X, K, followed by B, X, followed by X, L, P followed by 4, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx".

Model(s): ADV200 - **Size 2**, : ADV followed by 2055, 2075, 2110, followed by X, K, followed by B, X, followed by X, L, P, followed by 4, 4A, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx".

Model(s): ADV200-WA (Size 2), : ADV200-WA followed by 2075, 2110, 2150, followed by X, K, followed by B, X, followed by X, L, P, followed by 4, 4A, may be followed by DC, may be followed by +SI, followed by additional generic alphanumeric digits "xxxx".

Power Conversion Equipment

Model(s): ADV200SP - Size 1,: ADV200-SP followed by 1015, 1022, 1030, 1040, 1055 followed by X, K, followed by B, X, followed by X, L, P followed by 4, 4A, may be followed by DC, may be followed by SI, followed by additional generic alphanumeric digits xxxx

Model(s): ADV200SP - Size 2, : ADV200-SP followed by 2075, 2110, 2150, followed by X, K, followed by B, X, followed by X, L, P followed by 4, 4A, may be followed by DC, may be followed by SI, followed by additional generic alphanumeric digits xxxx

