




WEG South East Asia

11st Jan, 2022

A line AC Electric Motor Stock in Malaysia

Bulletin Reference No: WSEA/CSB/170222/001/AL

Stock on hand at WSEA to service the local & regional market for all your electric motor demand



- 2 Years Warranty for IE1 and IE2 Efficiency.
- 3 Years Warranty for IE3 Efficiency.

WEG South East Asia

No.22, Jalan Utarid U5/26, Mah Sing Industrial Park,
40150 Shah Alam, Selangor Darul Ehsan, Malaysia.


Phone: 03-7859 1626

Info-wsea@weg.net

www.weg.net



WEG South East Asia



*Photo shown are for illustration purpose and might differ from actual product.

Customer Service Bulletin



WEG South East Asia

2 Pole		B3			B5			B3			B5		
kW	IE1	IE2	IE3	IE1	IE2	IE3	IE1	IE2	IE3	IE1	IE2	IE3	
IEC 63	0.18	15246287 (AL)	15246130 (AL)	15246467 (AL)	1500398 (AL)	14975969 (AL)	15264043 (AL)	14803345 (AL)		15264043 (AL)	14803345 (AL)		
IEC 71	0.37	15000402 (AL)	13286237 (AL)	15219746 (AL)	15143515 (AL)	15248147 (AL)	15118284 (AL)	14687189 (AL)		15118284 (AL)	14687189 (AL)		
	0.55	15000406 (AL)	14976067 (AL)	14824384 (AL)	1500429 (AL)	14828336 (AL)	15025489 (AL)	14813248 (AL)		15025489 (AL)	14813248 (AL)		
IEC 80	0.75	15204464 (AL)	15421106 (AL)		15204530 (AL)	14725889 (AL)	15264045 (AL)			15264045 (AL)			
	1.1	15204465 (AL)	14775895 (AL)		15204529 (AL)	14687425 (AL)	15025488 (AL)			15025488 (AL)			
IEC 90	1.5	15204466 (AL)	14775908 (AL)		15204528 (AL)	15248418 (AL)	15118285 (AL)			15118285 (AL)			
	2.2	12398896 (AL)	15184920 (AL)		15204507 (AL)	14687426 (AL)	15118286 (AL)			15118286 (AL)			
IEC 100	3	15204467 (AL)	14775981 (AL)		15204506 (AL)	15248419 (AL)	15264046 (AL)			15264046 (AL)			
	4	15204538 (AL)	14775983 (AL)		15204505 (AL)	15248420 (AL)	15025306 (AL)			15025306 (AL)			
IEC 112	5.5	15821836 (AL)	15452701 (AL)		15821835 (AL)	15253374 (AL)	15469295 (AL)			15469295 (AL)			
IEC 132	7.5	15821837 (AL)	15452702 (AL)		15204503 (AL)	15040250 (AL)	15143517			15143517			
	11	15204542	14194189		15204502	14611703	14275465			14275465			
IEC 160	15	15204543	14586051		15204501	14194200	14586291			14586291			
	18.5	15204544	14194190		15204500	14194201	14275466			14275466			
IEC 180	22	15206784	14586052		15204499	14194202	14597658			14597658			
IEC 200	30	15206785	14586053		15204498	13501140	14789199			14789199			
	37	15206786	14586054		16057345 *	16061970 *	16057395 *			16057395 *	16061981 *		
IEC 225	45	16057292 *	16061918 *		16057380 *	16061972 *	16057408 *			16057408 *	16061982 *		
	55	16057297 *	16061920 *		16057381 *	16066757 *	16057412 *			16057412 *	16066818 *		
IEC 250	75	16057320 *	16061927 *		16057385 *	16061974 *	16057414 *			16057414 *	16061984 *		
	90	16057324 *	16061959 *		16057388 *	16061975 *	16057417 *			16057417 *	16061985 *		
IEC 280	110	16057323 *	16061961 *		16057392 *	16061977 *	16057450 *			16057450 *	16061986 *		

Contact WEG South East Asia for locally modified part number for these models

Motors with item code marked "*" are spot wound 400/690V W20 Series

Contact WEG South East Asia for locally modified part number for these models

Motors with item code marked "*" are spot wound 400/690V W20 Series

Number shown above are stock Item No. as stocked in Malaysia

Customer Service Bulletin



WEG South East Asia

Standard Features:

Electrical:

Insulation Class: F (B, $\Delta T=80$ K)

Ambient temperature: 40 °C , 1000 m.a.s.l

Voltage: frame 80-100, 220-240/380-415V(50Hz)//

440-460V (60Hz)

Connection type Δ - Δ /Y-Y//Y-Y

frame 112 and above, 380-415/660-690(50Hz)

//440-460V(60Hz)

Connection type Δ - Δ /Y-Y// Δ - Δ

Service Factor: 1.00

Design: N

Duty: S1

Thermal Protection: frame 160 and above, equipped with PTC Thermistor (one per phase)

Mechanical :

Frame: 80 to 355M/L

Squirrel cage rotor (die cast aluminium)

Protection Degree: IP55

Cooling Method: TEFC (Totally Enclosed Fan Cooled)


Sealing: V-ring

Painting Color: RAL 5009

Terminal box with metric threaded holes

Drain holes

Vibration Level A



Optional Features:

Electrical:

Insulation Class: H; Design H

Thermal Protection: frame up to 132 with PTC Thermistor; PT100 frame above 160

Mechanical:

Others mountings

Protection Degree: IP56, IP65, IP66


Sealing: Lip seal, Oil seal, Labyrinth taconite(frame 132 and above)

Space Heater,

Double shaft ends

Roller Bearing(frame 160 and above)

Available from -



WEG South East Asia

No.22, Jalan Utarid U5/26, Mah Sing Industrial Park,
40150 Shah Alam, Selangor Darul Ehsan, Malaysia.

Phone: 03-7859 1626

Info-wsea@weg.net

www.weg.net