



LACKTHERM® 1365 F

PRODUCT DESCRIPTION: Two-component epoxy resin curing at room temperature.

INDICATION OF USE: Winding finishes.

APPLICATION SYSTEM: Gun.

CHARACTERISTICS:

LACKTHERM® 1365 COMP A H

Code:	10146964 (5,20 Kg)
Appearance / Color:	Transparent dark liquid.
Specific weight: (ASTM D1475/98)	1,05 ± 0,02 g/cm ³
Thermal Class: (DIN 46452/77)	F (155°C)
Mixture Characteristic	
Component B:	Resin Imp Lackth 1365 F Comp B
Catalysis:	72A: 28B parts by weight
Greenhouse Healing:	3h - 6h / 25 ° C - 30 ° C. Greenhouse: 5min. - 15min. / 80 ° C - 130 ° C or encapsulate the preheated part
Mixture Lifetime:	1h (25°C)
Emergency form:	UN 1263
Expiration date:	12 months

LACKTHERM® 1365 COMP B H

Código:	10001691 (2,00 Kg)
Aspecto/Color:	Ambar
Viscosity Brookfield: 25°C (ASTM D2196)	10000 a 20000 cPs
Specific weight: (ASTM D1475/98)	0,98 ± 0,03 g/cm ³
Solids by Weight: (ASTM D2697/03)	100%
Thermal Class: (DIN 46452/77)	H (180°C)

RECOMMENDATIONS: Keep in a cool place, away from ignition points.
Keep the package closed after partial use.
Use in a place with good ventilation.

SAFETY PRECAUTIONS: Handling must be carried out away from flames, sparks or excessive heat and in ventilated places as it is a flammable product.
Make sure that the electrical installations are perfect and that they do not cause sparks.
When using this product, always wear PPE's: safety glasses, PVC gloves, apron and mask with filters against organic vapors.
Storage must be in ventilated places, protected from weathering.
Do not smoke in the work area.
In case of fire, use CO2 or chemical powder extinguishers. Use water in the form of fog, except in energized equipment.
Skin contact causes irritation.
Do not use thinner to clean the skin, hands and body parts. To clean your hands, use alcohol, then wash with water and cleaning paste. Use protective skin replenishing cream.
If ingested, induce vomiting only if the victim is conscious, in case of contact with eyes, rinse with plenty of water.
If symptoms of poisoning occur when inhaling solvent vapors, immediately remove the person to a ventilated area.
In the event of accidents, provide first aid and call a doctor immediately.



NOTE:

All information mentioned in this technical bulletin is based on our experiences and knowledge, however, as we have no control over the use of our products, no warranty - expressed or implied, is given or suggested regarding this information. We therefore do not assume any responsibility for performance, performance or any material or personal damages resulting from the incorrect use of the information provided.

